Panasonic

Ventilation Fans, Systems, Controls, Switches and Accessories

Effective Date November, 2020

Supersedes all Previous Price Lists







SelectCycler System™











WhisperComfort®

WhisperGreen® Select™

WhisperRecessed® LED™

WhisperSense® DC™







WhisperCeiling® DC™











WhisperWarm® DC™



WhisperFit® EZ™

 $WhisperValue^{\circledast}\ DC^{^{\intercal}}$

WhisperFresh® Select™ WhisperWall® WhisperSupply Wall™ WhisperLine™ Recessed Inlet™ Intelli-Balance 100™

| Style | Model Number | UPC | Features | Suggested List Price |
|---|-----------------|---|--|-------------------------|
| Most Efficient 2020 Whisp | perGreen® Sele | ct™ - ECM Motor w | rith Pick-A-Flow [™] and Pre-Installed Multi-Spe | ed |
| | FV-0511VKS2 | 8 85170 33730 5 | WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, pre-installed multi-speed 0, 30~110 CFM, <0.3 sone, Select up to 2 Plug 'N Play™ modules. Single-hinged Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box. | \$307.00 |
| Most Efficient 2020 INDIDITION WAS A CONTROL OF THE PROPERTY | Whis | oerGreen [®] Select [™] | - ECM Motor with Pick-A-Flow™ | |
| | FV-0511VK2 | 8 85170 33728 2 | WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, <0.3 sone, Select up to 3 Plug 'N Play™ modules. Single-hinged Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box. | \$275.00 |
| FV-1115VK2 | | WhisperGreen Select™ Pick-A-Flow™ Airflow Select 130 or 150 CFM fan with ECM Motor, <0.3 sone, up to 3 Plug 'N Play™ modules. Single-hinged F Fast™ installation bracket, 6" duct adapter, 7-3 housing depth. Elegant grille and multi-accestion box. | | \$345.00 |
| Most Efficient 2020 V | VhisperGreen® : | Select [™] - ECM Mot | tor with Pick-A-Flow [™] (LED lamps included) | |
| | FV-0511VKSL2 | 885170337312 | WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, pre-installed multi-speed 0, 30~110 CFM, <0.3, <0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light, Select up to 2 Plug 'N Play™ modules. Single-hinged Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box. | \$452.00 |
| | FV-0511VKL2 | 8 85170 33729 9 | WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM fan with ECM Motor, <0.3, <0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light, Single-hinged Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box. | \$420.00 |

| Style | Model Number | UPC | Features | Suggested List Price | |
|--------------------------------|--|-------------------|--|--------------------------------|--|
| Most Efficient 2020 Whis | sperGreen® Sele | ct™ - ECM Motor v | vith Pick-A-Flow™ (LED lamps included) (co | nt'd) | |
| | FV-1115VKL2 | | WhisperGreen Select™ Pick-A-Flow™ Airflow Selector 110, 130 or 150 CFM fan with ECM Motor, <0.3, <0.3, 0.6 sone, 10W LED Chip Panel, <1W LED night light, Single-hinged Flex-Z Fast™ installation bracket, Integrated 6" duct adapter, 7-3/8" housing depth. Elegant grille and multi-access junction box. | \$515.00 | |
| | w | hisperGreen® Sele | ect™ Plug 'N Play™ Modules* | | |
| 1 | FV-VS15VK1 8 Units/Master Pack | 8 85170 18005 5 | Multi-Speed Module with High/Low Delay Timer: | | |
| | FV-MSVK1 8 Units/Master Pack | 8 85170 18006 2 | SmartAction® Motion Sensor Module: automatically activates the fan when someone enters the room. | \$224.00 (\$28.00 per unit) | |
| | FV-CSVK1 8 Units/Master Pack | 8 85170 18007 9 | Condensation Sensor Module: controls bathroom condensation by anticipating dew point. When used in conjunction with multi-speed functionality, fan kicks up to high speed when moisture is detected in the room. | \$576.00 (\$72.00 per unit) | |
| Broken Pack Service Charge* | VF-BPSC | N/A | Broken Pack Service Charge-Modules/Controls/ Switches/Adapters/Filters. | \$3.25 | |
| Selec | tCycler [™] Whole | House Ventilation | System - Lowest Cost Per HERS Point Sol | ution | |
| 30 0 | SACG2K-06 8 57702 00114 5 | | SelectCycler™ Kit, 6" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 6" duct and a FanConnect™ bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately. | \$472.50 | |
| | SACG2K-04 | 8 57702 00115 2 | SelectCycler™ Kit, 4" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 4" duct and a FanConnect bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately. | \$497.50 | |
| 30 | SACG2K-08 | 8 57702 00116 9 | SelectCycler™ Kit, 8" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 8" duct and a FanConnect bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately. | \$518.75 | |
| | Select™ exhaust fan or fan/light sold separately. SelectCycler™ Kit, 10" Duct Whole house ventilation system designed to work with WhisperGreen® Select™ to operate in Hybrid or Balanced mode to meet ASHRAE 62.2. Kit includes a programmable wall mount controller, motorized supply damper with 10" duct and a FanConnect bathroom fan/light wall switch, White, Wall plate Not included. WhisperGreen® Select™ exhaust fan or fan/light sold separately. | | | | |

^{* \$3.25} Broken Pack Service Charge will be applied to any WhisperGreen® Select™ Plug 'N Play™ module that's ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.



| Style | Style Model Number | | Features | Suggested List Price | |
|--|--------------------|--------------------|--|-------------------------|--|
| SelectCyc | cler™ Whole Hou | se Ventilation Sys | stem - Lowest Cost Per HERS Point Solutio | n (con't) | |
| | SACRR | 8 57702 00126 8 | Range Hood Pressure Sensor Range Hood Pressure Sensor solves depressurization issues when using the SelectCycler™ System by opening the damper and allowing make up air to enter as soon as the range hood is turned on. | \$101.25 | |
| | SACTG-C02 | 8 57702 00124 4 | COLD Temperature Sensor Provides SelectCycler™ System control in extreme Cold temperatures. OFF Temperature: 35°F +/- 5°, ON Temperature: 4°F higher, Operation: 2A @ 24VAC. | \$25.00 | |
| | SACTG-H01 | 8 57702 00125 1 | HOT Temperature Sensor Provides SelectCycler™ System control in extreme | | |
| Most Efficient 2020 ENERGY STARS WWW.detergystargys | Whis | sperCeiling® DC™ - | ECM Motor with Pick-A-Flow™ | | |
| | FV-0511VQ1 | 8 85170 32493 0 | WhisperCeiling® DC™ fan, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, <0.3, <0.3 sone, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-05VQ5, FV-08VQ5 and FV-11VQ5. | \$226.00 | |
| | FV-1115VQ1 | 8 85170 32494 7 | WhisperCeiling® DC™ fan, Pick-A-Flow™ Airflow Selector 110, 130, 150 CFM with ECM Motor, <0.3, <0.3, <0.3 sone, Flex-Z Fast™ installation bracket, 6" duct adapter, 7-3/8" housing depth. Replaced FV-15VQ5. | \$296.00 | |
| Most Efficient 2020 W | hisperCeiling® I | DC™- ECM Motor v | with Pick-A-Flow [™] (LED Chip Panel Included |) | |
| | FV-0511VQL1 | 8 85170 32495 4 | WhisperCeiling® DC™ fan with LED light, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, <0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-08VQL6 and FV-11VQL6. | \$347.00 | |
| | FV-1115VQL1 | 8 85170 32496 1 | WhisperCeiling® DC™ fan with LED light, Pick-A-Flow™ Airflow Selector 110, 130, 150 CFM with ECM Motor, <0.3, <0.3, 0.5 sone, 10W LED Chip Panel, <1W LED night light, Flex-Z Fast™ installation bracket, 6" duct adapter, 7-3/8" housing depth. Replaced FV-15VQL6. | \$417.00 | |
| LOSS FIXE ENERGY STAR | | Whi | sperCeiling [®] | | |
| | FV-20VQ3 | 0 92281 13449 9 | WhisperCeiling® fan, 190 CFM, 1.3 sone, 9-3/32" housing depth. | \$340.00 | |
| | FV-30VQ3 | 0 92281 13450 5 | WhisperCeiling® fan, 290 CFM, 2.0 sone, 9-3/32" housing depth. | \$356.00 | |
| | FV-40VQ4* | 0 92281 13451 2 | WhisperCeiling® fan, 390 CFM, 3.0 sone, 9-3/32" housing depth. | \$540.00 | |

^{*} FV-40VQ4 does not comply with the ENERGY STAR® 4.0 requirement for increased efficiency (CFM/Watt).

| Style | Model Number | nber UPC Features Sugg | | | | | |
|--------------------------------|--|---|---|----------|--|--|--|
| Most Efficient 2020 | WhisperSense® DC™ - ECM Motor with Pick-A-Flow [™] and Dual Sensors | | | | | | |
| | FV-0511VQC1 | WhisperSense® DC™ fan with dual sensor capability, motion sensor, humidity sensor, adjustable delay timer, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, <0.3, <0.3 sone, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-08VQC5 and FV-11VQC5. | | \$306.00 | | | |
| Most Efficient 2020 | WhisperSense® DC™ - ECM Motor with Pick-A-Flow™ and Dual Sensors (LED Chip Panel Included) | | | | | | |
| | FV-0511VQCL1 | 8 85170 32639 2 | WhisperSense® DC™ fan with LED light with dual sensor capability, motion sensor, humidity sensor, adjustable delay timer, Pick-A-Flow™ Airflow Selector 50, 80 or 110 CFM with ECM Motor, <0.3, 0.3, 0.4 sone, 10W LED Chip Panel, <1W LED night light, Flex-Z Fast™ installation bracket, Integrated dual 4" or 6" duct adapter, 7-3/8" housing depth. Replaced FV-08VQCL6 and FV-11VQCL6. | \$427.00 | | | |
| ENERGY STAR | W | hisperRecessed® l | LED™ - (LED Lamp Included) | | | | |
| | FV-08VRE2 | 8 85170 30273 0 | WhisperRecessed® LED™, fan-LED light, 80 CFM, 1.0 sone, (1) 8W GU24 base, ENERGY STAR® 2.0 certified LED lamp, integrated dual 4" or 6" duct adapter, 6" housing depth. | \$240.00 | | | |
| | | Whisp | perWarm [®] DC™ | | | | |
| N | EW FV-0511VH1 | 8 85170 37417 1 | WhisperWarm [®] DC [™] fan-heater, 50, 80 or 110 CFM with ECM motor, 0.6 sone, 7 1/2" housing depth. | \$480.00 | | | |
| | FV-0511VHL1 | 8 85170 37418 8 | WhisperWarm® DC™ fan-heater-light, 50, 80 or 110 CFM with ECM motor, 0.7 sone, Optional 10W dimmable LED chip panel. | \$620.00 | | | |
| WhisperFit® EZ™ - Pick-A-Flow™ | | | | | | | |
| | FV-08-11VF5 | 85170 24655 3 | WhisperFit® EZ™ fan, Pick-A-Flow™ Airflow Selector 80 or 110 CFM, 0.3 or 0.8 sone, Flex-Z Fast™ installation bracket, detachable installation adapter and detachable 4" to 3" duct adapter included, 5-5/8" housing depth. | \$196.00 | | | |
| | FV-08-11VFM5 | 8 85170 24657 7 | WhisperFit® EZ™ fan, Pick-A-Flow™ Airflow Selector 80 or 110 CFM, 0.3 or 0.8 sone, built-in Motion Sensor, Flex-Z Fast™ installation bracket, detachable installation adapter and detachable 4" to 3" duct adapter included, 5-5/8" housing depth. | \$259.00 | | | |

| Style | Model Number UPC | | Features | Suggested List Price |
|--|------------------------------------|--|---|--------------------------------|
| ENERGY STAR | Whis | perFit® EZ™ - Pick | -A-Flow [™] (CFL Lamps Included) | |
| (4" to 3" Duct Adapter Shown) | FV-0811VFL5E | 8 85170 36286 4 | WhisperFit® EZ™ fan-light, Pick-A-Flow™ Airflow Selector 80 or 110 CFM, 0.4 or 1.0 sone, 10W LED Chip Panel, <1W LED night light, Flex-Z Fast™ installation bracket, detachable installation adapter and detachable 4" to 3" duct adapter included, 5-5/8" housing depth. | \$291.00 |
| Most Efficient 2020 | WhisperValue | e® DC™ - ECM Motor | with Pick-A-Flow [™] , Ceiling or Wall Mount | |
| | FV-0510VS1 | 8 85170 30629 5 | WhisperValue® DC™ fan, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, <0.3, 0.4, 0.9 sone, 3-3/8" housing depth, L-shaped mounting bracket. Replaced FV-05VS3, FV-08VS3 and FV-10VS3E. | \$136.00 |
| | FV-0810VSS1 | 8 85170 31784 0 | WhisperValue® DC™ fan, Pick-A-Flow™ Airflow Selector 80 or 100 CFM with ECM Motor, Multi-Speed for ASHRAE 62.2 , 3-3/8" housing depth, L-shaped mounting bracket. | \$167.00 |
| | FV-0510VSC1 | 8 85170 31786 4 | WhisperValue® DC™ fan, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, Condensation Sensor , 3-3/8" housing depth, L-shaped mounting bracket. | \$203.00 |
| Most Efficient 2020 MHRYSTAN WWW. WORD STRINGEN | WhisperValue | [®] DC [™] - Contracto | or Pack (FV-0510VS1 Complete Fan Unit) | |
| | FV-0510VSA1 4 Units/Master Pack | 8 85170 30631 8 | WhisperValue [®] DC [™] , Housing Can, Contractor Pack. Replaced FV-05-10VSA3. | \$156.00 (\$39.00 per unit) |
| 450 | FV-0510VSB1 8 85170 30633 2 Assen | | WhisperValue® DC [™] , ECM Motor/Grille Assembly, Contractor Pack. Replaced FV-05VSB3, FV-08VSB3 and FV-10VSB3E. | \$388.00 (\$97.00 per unit) |
| Most Efficient 2020 Whis | perValue® DC™ - | ECM Motor with Pic | | nel Included) |
| | FV-0510VSL1 | 8 85170 31782 6 | WhisperValue® DC™ Fan/LED Light, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, 10W LED Chip Panel, <1W LED night light, 3-3/8" housing depth, L-shaped mounting bracket. Replaced FV-08VSL3 and FV-10VSL3E. | \$231.00 |
| | FV-0810VSSL1 | 8 85170 31788 8 | WhisperValue® DC™ Fan/LED Light, Pick-A-Flow™ Airflow Selector 80 or 100 CFM with ECM Motor, Multi-Speed for ASHRAE 62.2 , 10W LED Chip Panel, <1W LED night light, 3-3/8" housing depth, L-shaped mounting bracket. | \$262.00 |
| | FV-0510VSCL1 | 8 85170 31790 1 | WhisperValue® DC™ Fan/LED Light, Pick-A-Flow™ Airflow Selector 50, 80 or 100 CFM with ECM Motor, Condensation Sensor , 10W LED Chip Panel, <1W LED night light, 3-3/8" housing depth, L-shaped mounting bracket. | \$298.00 |

^{*} WhisperValue® DC™ Contractor Packs for FV-0510VS1 only: Must order in quantities of 4, shipment will contain 1 box with 4 units.

| Style | Model Number UPC Features | | Features | Suggested List Price | |
|--------------------------------|--|-------------------|--|--------------------------------|--|
| In | telli-Balance 100 [™] | - Energy Recov | ery Ventilator (ERV) For Any Climate Zone | | |
| | FV-10VEC2 | 8 85170 37402 7 | Intelli-Balance 100 [™] - Cold Climate ERV , Pick-A-Flow [™] Airflow Selectors on supply and exhaust 50, 60, 70, 80, 90, or 100 CFM with 2 ECM motors with boost function, ASHRAE 62.2 Timing Function, 8-7/8" housing depth. | \$1,653.00 | |
| 68 | FV-10VE2 | 8 85170 37401 0 | Intelli-Balance 100™ - Temperate Climate ERV , Pick-A-Flow™ Airflow Selectors on supply and exhaust 50, 60, 70, 80, 90, or 100 CFM with 2 ECM motors with boost function, ASHRAE 62.2 Timing Function, 8-7/8" housing depth. | \$1,572.00 | |
| of & mercia & | FV-FL0810VE1* (4 Units/Master Pack) | 8 85170 30742 1 | Intelli-Balance 100 [™] optional MERV 8 Supply Air Replacement Filter. | \$168.00 (\$42.00 per unit) | |
| | FV-FL1310VE1** (4 Units/Master Pack) | 8 85170 30744 5 | Intelli-Balance 100 [™] optional MERV 13 Supply Air Replacement Filter. | \$200.00 (\$50.00 per unit) | |
| Broken Pack Service Charge* | | | \$3.25 | | |
| | Whisper | Comfort® - Spot E | nergy Recovery Ventilator (ERV) | | |
| | FV-04VE1 | | WhisperComfort®, ERV, 40/20, 20/10 CFM, 0.8 sone, 7-7/8" housing depth. | \$683.00 | |
| ang y Care | EcoVen | | st™ - U-Can Contractor Pack** | | |
| | FV-07VBA1A 4 Units/Master Pack | 8 851703 7020 3 | EcoVent® fan: Universal Housing Can with pre-attached junction box & Duct Adapter, Contractor Pack, 4-6/8" housing depth. | \$180.00 (\$45.00 per unit) | |
| | FV-07VBB1 4 Units/Master Pack 8 85170 186 | | EcoVent® fan: Motor/Grille Assembly, 70 CFM fan, built-in Veri-Boost™ switch, Ventialtion Verification Assurance via a 20 CFM boost, 0.4 sone , small grille design, Contractor Pack. | \$233.20 (\$58.30 per unit) | |
| Most Efficient 2020 | Most Efficient 2020 WhisperFresh Select™ - Fresh Air Supply Fan, ECM Motor with Pick-A-Flow™ | | | | |
| | FV-15NLFS1 | | Customizable fresh air supply fan featuring Pick-A-Flow™ technology – one fan, you choose the CFM (50-150 CFM). Intelligent ECM motor with Smart-Flow technology provides optimum CFM output for precision whole-house supply ventilation. | \$860.00 | |
| | FV-FL0815NL1 4 Units/Master Pack | 8 85170 33727 5 | WhisperFresh Select™ optional MERV 8 Supply Air Replacement Filter | \$216.00 (\$54.00 per unit) | |
| M ANDRE | FV-FL1315NL1 4 Units/Master Pack | 8 85170 33726 8 | WhisperFresh Select™ optional MERV 13 Supply Air Replacement Filter | \$232.00 (\$58.00 per unit) | |
| Broken Pack Service Charge | VF-BPSC | N/A | Broken Pack Service Charge-Modules/Controls/ Switches/Adapters/Filters | \$3.25 | |

^{* \$3.25} Broken Pack Service Charge will be applied to any Intelli-Balance™ 100 Filter that's ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

^{**} EcoVent® U-Can Contractor Packs: Must order in quantities of 4, shipment will contain 1 box with 4 units.



| Style | Model Number | UPC | Features | Suggested List Price |
|----------------------|--------------------------------------|------------------------------------|---|--------------------------------|
| Long FLA ENERGY STAR | | Wi | nisperWall [®] | |
| | FV-08WQ1 | 0 92281 13767 4 | WhisperWall® fan, 70 CFM, 1.1 sone. | \$371.00 |
| energy star | | Wh | nisperLine™ | |
| | FV-10NLF1E | 8 85170 26619 3 | WhisperLine [™] fan, 120 CFM, 1.0 sone, enhanced CFM/Watt for ESTAR 4.0 compliance. Replaced FV-10NLF1. | \$271.00 |
| | FV-20NLF1 | 0 92281 13445 1 | WhisperLine™ fan, 240 CFM, 1.4 sone. | \$291.00 |
| | FV-30NLF1* | 0 92281 13446 8 | WhisperLine™ fan, 340 CFM, 1.7 sone. | \$361.00 |
| - | FV-40NLF1* | 0 92281 13447 5 | WhisperLine™ fan, 440 CFM, 2.1 sone. | \$396.00 |
| Rece | essed Inlet [™] - Ex | chaust or Supply In | let for Remote Mount In-Line Fans and H/El | ₹Vs |
| | FV-NLF46RES | 8 85170 30275 4 | Recessed Inlet™, Multi-Purpose Exhaust or Supply Inlet for use with remote mount in-line fans and H/ERVs, or as a light-only option with WhisperRecessed® LED™ fans, (1) 8W GU24 base, ENERGY STAR® 2.0 certified LED lamp, integrated dual 4" or 6" duct adapter, 6" housing depth. | \$183.00 |
| | V | VhisperControl [™] - 0 | Condensation Sensor Plus** | |
| 9 | FV-WCCS1-W 6 Units/Master Pack | 8 85170 05028 0 | Condensation Sensor Plus, Humidity and Condensation control and countdown timer, manual On/Off, Moisture Sensitivity Selector, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, White, Wall Plate Included. | \$359.40 (\$59.90 per unit) |
| 9 | FV-WCCS1-A 6 Units/Master Pack | 8 85170 05029 7 | Condensation Sensor Plus, Humidity and Condensation control and countdown timer, manual On/Off, Moisture Sensitivity Selector, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 | \$359.40 (\$59.90 per unit) |
| 9 | | | year warranty, Light Almond, Wall Plate Included. | |
| 9 | FV-WCCS2-W 6 Units/Master Pack | 8 85170 05030 3 | | \$400.80 (\$66.80 per unit) |
| 9 9 | 6 Units/Master | 8 85170 05030 3 8 85170 05031 0 | year warranty, Light Almond, Wall Plate Included. Condensation Sensor Plus, Humidity and Condensation control and countdown timer, manual On/Off/Light, Moisture Sensitivity Selector, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, | |

^{*} FV-30NLF1 and FV-40NLF1 do not comply with the ENERGY STAR® 4.0 requirement for increased efficiency (CFM/Watt).

^{** \$3.25} Broken Pack Service Charge will be applied to any WhisperControl™ that's ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.



| Style | Model Number | UPC | Features | Suggested List Price | | |
|--|--|-----------------|---|---------------------------------|--|--|
| WhisperControl™ - Preset Countdown and Hourly Timers* | | | | | | |
| 9 | FV-WCD01-W 6 Units/Master Pack | 8 85170 05529 2 | Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off, adjustable Minutes Per Hour (MPH) fan timer for compliance with with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, White, Wall Plate Included. | \$333.00 (\$55.50 per unit) | | |
| 9 | FV-WCD01-A 6 Units/Master Pack | 8 85170 05530 8 | Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, Light Almond, Wall Plate Included. | \$333.00 (\$55.50 per unit) | | |
| 9 | FV-WCD02-W 6 Units/Master Pack | 8 85170 20752 3 | Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off/Light, adjustable Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, White, Wall Plate Included. | \$373.80 (\$62.30 per unit) | | |
| 9 | FV-WCD02-A 6 Units/Master Pack | 8 85170 20753 0 | Preset Countdown and Hourly Timer, 5-60 minutes, manual On/Off/Light, adjustable, Minutes Per Hour (MPH) fan timer for compliance with ASHRAE 62.2, Commercial Grade, 8 Amp max load, 2 year warranty, Light Almond, Wall Plate Included. | \$373.80 (\$62.30 per unit) | | |
| Broken Pack Service Charge* | VF-BPSC | N/A | Broken Pack Service Charge-Modules/Controls/ Switches/Adapters/Filters. | \$3.25 | | |
| | | WhisperC | Control™ - Other ** | | | |
| To reaction of the control of the co | FV-WCPT1-W 6 Units/Master Pack 8 851700 4859 1 | | SmartExhaust Ventilation Control Switch - fan/ light switch, delay timer, ventilation wall control that can help comply with ASHRAE 62.2, White, Wall Plate NOT Included. | \$609.06 (\$101.51 per unit) | | |
| | | Ec | coSwitch™* | | | |
| | FV-WCSW11-W 6 Units/Master Pack | 8 85170 05032 7 | 1 function On/Off, Fan, Commercial Grade, 15 Amp, White, Wall Plate Included. | \$43.62 (\$7.27 per unit) | | |
| | FV-WCSW11-A 6 Units/Master Pack | 8 85170 05033 4 | 1 function On/Off, Fan, Commercial Grade, 15 Amp, Light Almond, Wall Plate Included. | \$43.62 (\$7.27 per unit) | | |
| | FV-WCSW21-W 6 Units/Master Pack | 8 85170 05034 1 | 2 function On/Off, Fan/Light, Commercial Grade, 15 Amp, White, Wall Plate Included. | \$76.80 (\$12.80 per unit) | | |

^{*\$3.25} Broken Pack Service Charge will be applied to any WhisperControl™ that's ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

^{**} Broken Master Packs are not available for the SmartExhaust Ventilation Control

| Style | Model Number | UPC | Features | Suggested List Price | | | |
|--------------------------------|---|------------------------------|--|--------------------------------|--|--|--|
| | | | EcoSwitch™ (cont¹d)* | | | | |
| | FV-WCSW21-A 6 Units/Master Pack | 8 85170 05035 8 | 2 function On/Off, Fan/Light, Commercial Grade, 15 Amp, Light Almond, Wall Plate Included. | | | | |
| 9 | FV-WCSW31-W 6 Units/Master Pack | 8 85170 05036 5 | 3 function On/Off, Fan/Light/Night-light, Commercial Grade, 15 Amp, White, Wall Plate Included. | \$93.53 (\$15.59 per unit) | | | |
| d d | FV-WCSW31-A 6 Units/Master Pack | 8 85170 05037 2 | 3 function On/Off, Fan/Light/Night-light, Commercial Grade, 15 Amp, Light Almond, Wall Plate Included. | \$93.53 (\$15.59 per unit) | | | |
| D D | FV-WCSW41-W 6 Units/Master Pack 8 85170 05038 9 | | 4 function On/Off, For model FV-11VHL2 (heat/vent/light/night-light), Commercial Grade, 20 Amp, White, Wall Plate Included. | \$378.00 (\$63.00 per unit) | | | |
| Broken Pack Service Charge* | VF-BPSC | N/A | Broken Pack Service Charge-Modules/Controls/ Switches/Adapters/Filters. | \$3.25 | | | |
| | EZ Soffit V | ent [™] - High Perf | ormance, Versatile Soffit Termination System | | | | |
| EZSV14 8 66704 000 | | 8 66704 00030 8 | EZ Soffit Vent™ - High Performance, Versatile Soffit Termination System, designed for fans up to 110 CFM using 4" duct work, designed for pre-soffit installation. | \$34.50 | | | |
| | | Cei | ling Radiation Damper | | | | |
| | PC-RD05C5 6 Units/Master Pack | 8 66083 00020 3 | Ceiling Radiation Damper - UL Approved for use with: FV-05-11VK1, FV-05-11VKL1, FV-05-11VKS1, FV-05-11VKSL1, FV-05-11VKSL1, FV-05-11VKSL1, FV-05-11VKSL1, FV-08-11VKSL1, FV-08-11-15VKL1, FV-05VQ5, FV-08VQ5, FV-08VQL6, FV-11VQ5, FV-11VQL5, FV-11VQC5, FV-08VQCL6, FV-15VQL6, FV-15VQL6, FV-08VQCL6, FV-11VQC5, FV-11VQCL6, FV-08VP2, FV-08VFL4, FV-08-11VFL5, FV-08-11VFM5, FV-08VF2, FV-08-11VF5, FV-08-11VFL4, FV-0510VS1, FV-05VS1, FV-05VS3, FV-10VS3, FV-10VS13, FV-10VS13, FV-10VS13, FV-0810VSC1, FV-0510VSC1, FV-0510VSC1, FV-0510VSC1, FV-0510VSC1, FV-0510VSC1, FV-0510VSC1, FV-0511VQC1, FV-0511VQC1, FV-0511VQC1, FV-0511VQC1, FV-0511VK2, FV-0511VK2, FV-0511VKS2, FV-1115VKL2, FV-1115VKL2. | \$538.20 (\$89.70 per unit) | | | |

^{* \$3.25} Broken Pack Service Charge will be applied to any EcoSwitch™ that's ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

| Passive Inlet FV-GKF32S1 0 92281 13443 7 Passive Inlet, Wall Mounted, 3 Setting Positions: S98.00 | Style | Model Number | UPC | Features | Suggested List Price | | |
|--|------------------------------|---------------------------|--------------------|--|-------------------------|--|--|
| FV-GR-7-251 0.92281 13443 7 Closed, 12 and 18 CFM. \$.95.00 | | | Pa | ssive Inlet | | | |
| FV-GL3TDA 0 37988 87057 8 Optional Designer Grilles, Grille Size: 13" Fits: FV-0511VQ1, FV-1115VQ1, FV-08-11VF5. \$35.00 FV-GL3TDB 0 37988 87058 5 Optional Designer Grilles, Grille Size: 13" Fits: FV-0511VQ1, FV-1115VQ1, FV-08-11VF5. \$35.00 WhisperComfort® Wall Cap FV-WC04VE1 0 37988 87070 7 WhisperComfort® Wall Cap, Double chambers for exhaust and supply air. WhisperComfort® Elbow FV-EB04VE1 8 85170 08990 7 WhisperComfort® Elbow, includes double chambers for exhaust and supply air. WhisperValue® DC" 4" Oval to 3" Round Duct Adapter* WhisperValue® Value® Lite® 24 Gauge, fire code rated, 4" oval to 3" round duct adapter, designed specifically for use with WhisperValue® DC" Fans and Fan/Lights. Transfer Register Box (TRB)* Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on Pr-Vo15) (St 16m). Works with | | FV-GKF32S1 | 0 92281 13443 7 | | \$98.00 | | |
| FV-GL31DA 0 37988 87057 8 Fits: FV-O511VQ1, FV-08-11VF5. S35.00 FV-GL3TDB 0 37988 87058 5 Optional Designer Grilles, Grille Size: 13" Fits: FV-O511VQ1, FV-08-11VF5. S35.00 WhisperComfort® Wall Cap WhisperComfort® Wall Cap, Double chambers for exhaust and supply air. WhisperComfort® Elbow FV-EB04VE1 8 85170 08990 7 WhisperComfort® Elbow, includes double chambers for exhaust and supply air. S35.50 WhisperValue® DC" 4" Oval to 3" Round Duct Adapter* WhisperValue® Value® Lite" 24 Gauge, fire code rated, 4" oval to 3" round duct adapter, designed specifically for use with WhisperValue® DC" Fans and Fan/Lights. Transfer Register Box (TRB)* FV-JD 4 Units/Master Pack 8 85170 20165 1 Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CPM transfer at 0.4 sone (based on FV-0510YST fan). Works with | Optional Designer Grilles | | | | | | |
| WhisperComfort® Wall Cap FV-WC04VE1 0 37988 87070 7 WhisperComfort® Wall Cap, Double chambers for exhaust and supply air. \$116.00 WhisperComfort® Elbow FV-EB04VE1 8 85170 08990 7 WhisperComfort® Elbow, includes double chambers for exhaust and supply air. \$35.50 WhisperValue® DC™ 4" Oval to 3" Round Duct Adapter® FV-VS43R 8 Units/Master Pack 8 85170 13654 0 FV-JD 4 Units/Master Pack 8 85170 20165 1 Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer 0.4 sone (based on FV-0510VS1 fan). Works with Powered 60 CFM transfer 0.4 sone (based on FV-0510VS1 fan). Works with \$80 (\$20.00 per unit) | | FV-GL3TDA 0 37988 87057 8 | | | \$35.00 | | |
| FV-WC04VE1 0 37988 87070 7 WhisperComfort® Wall Cap, Double chambers for exhaust and supply air. WhisperComfort® Elbow FV-EB04VE1 8 85170 08990 7 WhisperComfort® Elbow, includes double chambers for exhaust and supply air. \$35.50 WhisperValue® DC™ 4" Oval to 3" Round Duct Adapter* WhisperValue® Lite™ 24 Gauge, fire code rated, 4" oval to 3" round duct adapter, designed specifically for use with WhisperValue® DC™ Fans and Fan/Lights. Transfer Register Box (TRB)* FV-JD 4 Units/Master Pack 8 85170 20165 1 Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with | | FV-GL3TDB | 0 37988 87058 5 | | \$35.00 | | |
| WhisperComfort® Elbow FV-EB04VE1 8 85170 08990 7 WhisperComfort® Elbow, includes double chambers for exhaust and supply air. WhisperValue® DC™ 4" Oval to 3" Round Duct Adapter* FV-VS43R 8 Units/Master Pack 8 85170 13654 0 WhisperValue®/Value® Lite™ 24 Gauge, fire code rated, 4" oval to 3" round duct adapter, designed specifically for use with WhisperValue® DC™ Fans and Fan/Lights. Transfer Register Box (TRB)* Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with (\$50.40 (\$6.30 per unit) \$80 (\$20.00 per unit) \$80 (\$ | | | WhisperC | comfort [®] Wall Cap | | | |
| FV-EB04VE1 8 85170 08990 7 WhisperComfort® Elbow, includes double chambers for exhaust and supply air. \$35.50 WhisperValue® DC™ 4" Oval to 3" Round Duct Adapter* WhisperValue® Lite™ 24 Gauge, fire code rated, 4" oval to 3' round duct adapter, designed specifically for use with WhisperValue® DC™ Fans and Fan/Lights. Transfer Register Box (TRB)* FV-JD 4 Units/Master Pack 8 85170 20165 1 Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with | | FV-WC04VE1 | | | \$116.00 | | |
| WhisperValue® DC™ 4" Oval to 3" Round Duct Adapter* FV-VS43R 8 Units/Master Pack 8 85170 13654 0 WhisperValue® Lite™ 24 Gauge, fire code rated, 4" oval to 3' round duct adapter, designed specifically for use with WhisperValue® DC™ Fans and Fan/Lights. FV-JD 4 Units/Master Pack 8 85170 20165 1 Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with \$80 (\$20.00 per unit) | | | Whisper | Comfort® Elbow | | | |
| FV-VS43R 8 Units/Master Pack 8 85170 13654 0 WhisperValue®/Value® Lite™ 24 Gauge, fire code rated, 4" oval to 3' round duct adapt- er, designed specifically for use with WhisperValue® DC™ Fans and Fan/Lights. Transfer Register Box (TRB)* Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with WhisperValue® DC™ Fans and Fan/Lights. \$50.40 (\$6.30 per unit) \$80 (\$20.00 per unit) | FV-EB04VE1 8 | | | | \$35.50 | | |
| 8 Units/Master Pack 8 85170 13654 0 code rated, 4" oval to 3' round duct adapter, designed specifically for use with WhisperValue® DC™ Fans and Fan/Lights. Transfer Register Box (TRB)* Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with S50.40 (\$6.30 per unit) \$8 85170 20165 1 Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with | | Whis | perValue® DC™ 4" (| Oval to 3" Round Duct Adapter* | | | |
| FV-JD 4 Units/Master Pack 8 85170 20165 1 Provides room-to-room powered circulation, Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with 980 (\$20.00 per unit) | 8 Units/Master | | 8 85170 13654 0 | code rated, 4" oval to 3' round duct adapt- er, designed specifically for use with | * | | |
| FV-JD 4 Units/Master Pack Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with \$80 (\$20.00 per unit) | Transfer Register Box (TRB)* | | | | | | |
| | | 4 Units/Master | 8 85170 20165 1 | Wall mount application-fits in a 2 x 4 stud bay, Powered 60 CFM transfer at 0.4 sone (based on FV-0510VS1 fan). Works with | * | | |
| Broken Pack Service Charge* | | | Broken Pag | ck Service Charge* | | | |
| Broken Pack Service Charge* VF-BPSC N/A Broken Pack Service Charge-Modules/ Controls/Switches/Adapters/Filters. \$3.25 | | VF-BPSC | N/A | | \$3.25 | | |

Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

^{*\$3.25} Broken Pack Service Charge will be applied to any WhisperValue® DC™ Duct Adapter and/or Transfer Register Box if ordered in less than standard Master Pack quantities. Example: For Each Model #: Master Pack ordered= No Service Charge; Less than a Master Pack ordered=\$3.25 Service Charge.

| WhisperLine [™] Accessories | | | | | | | | |
|---|------------------------|--------|---------------|--------|----|----------|--|--|
| Model Number Type Inlet Grille Y-Adapter Backdraft Damper Zip Ties Suggested List Price | | | | | | | | |
| Accessory Kits | | | | | | | | |
| FV-NLF04G | 4" Duct Inlet Grille | 1 (4") | | | | \$43.00 | | |
| FV-NLF06G | 6" Duct Inlet Grille | 1 (6") | | | | \$43.00 | | |
| PC-NLF04S | 4" Singe Pick Up | 1 (4") | | 1 (4") | 6 | \$105.00 | | |
| PC-NLF06S | 6" Single Pick Up | 1 (6") | | 1 (6") | 6 | \$115.00 | | |
| PC-NLF04D | 4" Double Pick Up | 2 (4") | 1 (4" - 4"x2) | 2 (4") | 12 | \$210.00 | | |
| PC-NLF06D | 6" Double Pick Up | 2 (6") | 1 (6" - 6"x2) | 2 (6") | 12 | \$231.00 | | |
| PC-NLF64D | 6" - 4" Double Pick Up | 2 (4") | 1 (6" - 4"x2) | 2 (4") | 12 | \$210.00 | | |
| Y-Adapter | | | | | | | | |
| PC-NLF86Y | Y-Adapter | | 1 (8" - 6"x2) | | | \$31.00 | | |

CFL Lamps contain mercury. Dispose according to local, state and federal laws.

FREIGHT POLICY: All ventilation fan orders must exceed \$1,500 net in order to qualify for free freight.

LIMITED WARRANTY: ALL Parts: For period of 3 years (36 months) from the date of the original purchase.

SelectCycler™ System: For period of 6 years (72 months) from the date of the original purchase, when used with a WhisperGreen® Select™ fan or fan/light.

ECM Motor: For period of 6 years (72 months) from the date of the original purchase.

LED: For Period of 5 years (60 months) from the date of the original purchase.

Compact Fluorescent Lamp (CFL): For period of 3 years (36 months) from the date of the original purchase. Night Lamp: No warranty.

EFFECTIVE: NOVEMBER, 2020

Supersedes All Previous Price Lists

ORDER PLACEMENT: Phone: (866) 292-7299; Fax: (888) 553-0723

Panasonic Eco Solutions North America Eco Products Division Two Riverfront Plaza

Two Riverfront Plaza Newark, NJ 07102 (201) 348-7000

For additional resources, visit: us.panasonic.com/ventfans





Printed with soy ink on 10% post-consumer recycled paper







Printed in U.S.A.

IAQ20032FL

Panasonic